

Sefeloek

Quick Coupler & Attachment System 1,650 - 30,850lbs





Safelock

The best selling coupler in the rental market, since 2005.

The dedicated pickup design enables mix and match attachments across any brand of excavator.



Easy installation & operation, zero tools, quick attachments changes.

Zero impact to breakout force. Durable, reliable perfect for mixed-fleets.







Why?

- Fits any excavator 1,650lbs to 30,850lbs.
- Perfect for mixed-fleets, buckets fit any machine with a Safelock coupler installed.
- Easy install, easy operation, zero tools & quick attachments changes.
- Made from premium grade materials which ensures maximum durability & low maintenance.
- Specified by excavator manufacturers for over 20 years as their rental coupler product.



excavator attachments



How?

- The Safelock system utilizes just 4 coupler and attachment systems to cover every excavator from 1,650 to 30,800lbs.
- These are named SL10, SL30, SL35 & SL50.
- Each one has been designed to best serve excavators within a specific weight range, to optimize performance and increase productivity.
- The below table details each Safelock coupler's weight range:

Excavator Weight 🐉 Safelock System

1,650 - 4,400lbs

SL 10

4,400 - 6,600lbs

SL 30

6,600 - 19,800lbs

SL 35

19,800 - 30,850lbs

SL 50













Find out more about Safelock on our web page here:



Think quality. Think harford.

